







































StackEasy Product Details

S.No	Brand	Product Name & Code	Image	Specification
1	StackEasy	Hand Pallet Truck 2000 Kg 1150x550 mm SE/HHPT/20		Capacity : 2000 Kg Fork Length : 1150 mm Width Overall Fork : 550 mm Lower Fork Height : 85 mm Max Lifting Height : 200 mm Steering Wheel : 200 x 50 mm Roller Small : 80x70 mm Self Weight : 73-92kg
2	StackEasy	Hand Pallet Truck 2000 Kg 1220x685 mm SE/HHPT/20		Capacity : 2000 Kg Fork Length : 1220 mm Width Overall Fork : 685 mm Lower Fork Height : 85 mm Max Lifting Height : 200 mm Steering Wheel : 200 x 50 mm Roller Small : 80x70 mm Self Weight : 73-92kg
3	StackEasy	Hand Pallet Truck 2500 Kg 1150x550 mm SE/HHPT/25 ECO		Capacity : 2500 Kg Fork Length : 1150 mm Width Overall Fork : 550 mm Lower Fork Height : 85 mm Max Lifting Height : 200 mm Steering Wheel : 200 x 50 mm Roller Small : 80x70 mm Self Weight : 73-92kg
4	StackEasy	Hand Pallet Truck 2500 Kg SE/HHPT 25 1150X685		Capacity : 2500 Kg Fork Length : 1150 mm Width Overall Fork : 685 mm Lower Fork Height : 85 mm Max Lifting Height : 200 mm Steering Wheel : 200 x 50 mm Roller Small : 80x70 mm Self Weight : 73-92kg
5	StackEasy	Hand Pallet Truck 2500 Kg SE/HHPT 25 1220X685		Capacity : 2500 Kg Fork Length : 1220 mm Width Overall Fork : 685 mm Lower Fork Height : 85 mm Max Lifting Height : 200 mm Steering Wheel : 200 x 50 mm Roller Small : 80x70 mm Self Weight : 73-92kg
6	StackEasy	Baby Pallet Truck 2500 Kg SE/SHAKTI 25 800X550		Capacity : 2500 Kg Fork Length : 800 mm Width Overall Fork : 550 mm Lower Fork Height : 85 mm Max Lifting Height : 200 mm Steering Wheel : 200 x 50 mm Roller Small : 80x70 mm Self Weight : 73-92kg
7	StackEasy	Hand Pallet Truck 2500 Kg 1150x540 mm SE/SHAKTI 25		Capacity : 2500 Kg Fork Length : 1150 mm Width Overall Fork : 550 mm Lower Fork Height : 85 mm Max Lifting Height : 200 mm Steering Wheel : 200 x 50 mm Roller Small : 80x70 mm Self Weight : 73-92kg
8	StackEasy	Galvanized Hand Pallet Truck 1150x550 mm SE/GPT/25		Capacity : 2500 Kg Fork Length : 1150 mm Width Overall Fork : 540 mm Lower Fork Height : 85 mm Max Lifting Height : 200 mm Steering Wheel : 200 x 50 mm Roller Small : 80x70 mm Self Weight : 73-92kg
9	StackEasy	Hand Pallet Truck 3000 Kg 1150x550 mm SE/HHPT/30		Capacity : 3000 Kg Fork Length : 1150 mm Width Overall Fork : 550 mm Lower Fork Height : 85 mm Max Lifting Height : 200 mm Steering Wheel : 200 x 50 mm Roller Small : 80x70 mm Self Weight : 73-92kg








10	StackEasy	Hand Pallet Truck 3000 Kg 1220x685 mm SE/HHPT/30		Capacity : 3000 Kg Fork Length : 1220 mm Width Overall Fork :685 mm Lower Fork Height : 85 mm Max Lifting Height : 200 mm Steering Wheel: 200 x 50 mm Roller Small : 80x70 mm Self Weight : 73-92kg
11	StackEasy	Hand Pallet Truck 5000 Kg 1150x550 mm SE/HHPT 50		Capacity : 5000 Kg Fork Length : 1150 mm Width Overall Fork : 550 mm Lower Fork Height : 85 mm Max Lifting Height : 190 mm Steering Wheel: 200 x 50 mm Roller Small : 80x70 mm Self Weight : 140kg
12	StackEasy	Roll Pallet Truck 2000 Kg 1100x760 mm SE/PRV 20		Capacity : 2000 Kg Real Diameter : 400-600 mm Fork Length : 1100 mm Width Overall Fork : 760 mm Lower Fork Height : 85 mm Max Lifting Height : 200 mm Big Wheel: 200 x 50 mm (PU) Roller Small : 80 x 70 mm (PU)
13	StackEasy	High Lift Pallet Truck 1000 Kg 1150x540X800 mm SE/HL/SP 1008		Capacity : 1000 Kg Fork Length : 1150 mm Width Overall Fork : 540 mm Lower Fork Height : 85 mm Max Lifting Height : 800 mm Big Wheel: 180 x 50 mm Self Weight : 128kg
14	StackEasy	Hydraulic Rough Terrain Pallet Truck 1200kg SE/RTPT 12		Capacity : 1200 Kg Real Diameter : 400-600 mm Fork Length : 860 mm Fork Width : 100mm Adjustable Fork Width: 228-735 mm Lower Fork Height : 63 mm Max Lifting Height : 233 mm Max Pump Stroke : 170mm Front/Big Wheel: 550 x 132 mm Rear Wheel : 265 x 80 mm Width inside the front Wheel ; 1277mm Net Weight : 225Kg Overall Size LxWXH:1375x1605x1200mm
15	StackEasy	Hand Drum Rotating Truck 350 Kg SE/RDH/35		Capacity : 350 Kg Lifting Height : 1425mm Overall Length : 1190 mm Overall Width : 890 mm Overall Height : 2020 mm Self Weight : 155kg
16	StackEasy	Hand Drum Truck 300 Kg SE/DLT/30		Lifting Capacity -300 kg Lifting Height- 400mm Overall dimension- 1025x915x1180 Self Weight- 80 kg
17	StackEasy	Hydraulic Stacker Low Height 1000kg SE/VV 1009		Capacity 1000kg Max. Fork Height: 900mm Min. Fork Height : 86±2mm Fork Length : 1170mm Size of Fork : 150x50mm Fork Width(outside) : 540mm Fork Width(Inside) : 240mm Overall Height: 1220mm Overall Width : 700mm

18	StackEasy	Hydraulic Stacker Low Height 1000kg SE/VV 1012		Capacity 1000kg Max. Fork Height: 1200mm Min. Fork Height : 86±2mm Fork Length : 1170mm Size of Fork : 150x50mm Fork Width(outside) : 540mm Fork Width(Inside) : 240mm Overall Height: 1520mm Overall Width : 700mm
19	StackEasy	Hydraulic Stacker Low Height 1000kg SE/VV 1016		Capacity 1000kg Max. Fork Height: 1600mm Min. Fork Height : 86±2mm Fork Length : 1170mm Size of Fork : 150x50mm Fork Width(outside) : 540mm Fork Width(Inside) : 240mm Overall Height: 1920mm Overall Width : 700mm
20	StackEasy	Manual Stacker 1000 Kg SE/MS/1016		Capacity : 1000 Kg Fork Length : 1150 mm Width Overall Fork : 550 mm Lower Fork Height : 85 mm Lifting Height : 1600 mm Overall Length : 1280mm Load Centre : 500mm Self Weight : 225kg
21	StackEasy	Ajustable Manual Stacker 1000 Kg SE/AMS/1016		Capacity : 1000 Kg Fork Length : 900 mm Adjustable fork Width up to : 680 mm Lower Fork Height : 85 mm Lifting Height : 1600 mm Lifting speed (mm/stroke) : 20 Dimension ; 2100x750x1420mm Self Weight : 227kg
22	StackEasy	Manual Stacker 1500 Kg SE/MS/1516		Capacity : 1500 Kg Fork Length : 1150 mm Width Overall Fork : 550 mm Lower Fork Height : 85 mm Lifting Height : 1600 mm Overall Length : 1280mm Load Centre : 500mm Self Weight : 225kg
23	StackEasy	Adjustable Manual Stacker 2000 Kg SE/AMS/2016		Capacity : 2000 Kg Fork Length : 900 mm Adjustable fork Width up to : 680 mm Lower Fork Height : 85 mm Lifting Height : 1600 mm Lifting speed (mm/stroke) : 20 Dimension ; 2100x750x1420mm Self Weight : 250kg
24	StackEasy	Semi-Electric Stacker 1000 Kg lift ht 3000 mm SE/SES1030		Capacity : 1000 Kg Fork Length : 1100 mm Width Overall Fork : 570 mm Lower Fork Height : 85 mm Lifting Height : 3000 mm Extended mast Height : 3570mm Load Centre distance : 800mm Turning Radius : 1400 mm Self Weight : 430kg (Including battery) Big Wheel : 180x50mm Small Wheel : 74x70 mm Lift speed loaded/Unloaded: 90/140mm/s Lowering Speed loaded/Unloaded: 120/100mm/s Dimension : 2080x777x1720mm Parking Brake : Manual Battery : 12V 150AH 1.5 Kw 45 kg

25	StackEasy	Semi-Electric Stacker 1500 Kg Lift Ht 3000 mm SE/SES1530		Capacity : 1500 Kg Fork Length : 1100 mm Width Overall Fork : 570 mm Lower Fork Height : 85 mm Lifting Height : 3000 mm Extended mast Height : 3520mm Load Centre distance : 600mm Turning Radius : 1400 mm Self Weight : 543kg (Including battery) Big Wheel : 180x50mm Small Wheel : 74x70 mm Lift speed loaded/Unloaded: 65/100mm/s Lowering Speed loaded/Unloaded: 85/70mm/s Dimension : 2030x777x1720mm Parking Brake : Manual Battery : 12V 150AH 1.5 Kw 45 kg
26	StackEasy	Hydraulic Lift Table Truck 150 Kg SE/PT 15 700 X 450 X 36		Capacity : 150 Kg Min. Table Height : 220 mm max. Table height : 720 mm Dimension of table : 7000x450mm Caster Wheel : 100x25mm Foot pedal Cycle to max height : <28 Times Height of handle from the ground : 950mm
27	StackEasy	Hydraulic Lift Table Truck 300 Kg SE/PT 30 850 X 500		Capacity : 300 Kg Min. Table Height : 285/340 mm max. Table height : 880 mm Dimension of table : 850x500mm Caster Wheel : 125x40mm Foot pedal Cycle to max height : <27 Times Height of handle from the ground : 990mm
28	StackEasy	Hydraulic Lift table Truck 500 Kg SE/PT 50 1600 X 810		Capacity : 500 Kg Min. Table Height : 290mm max. Table height : 915 mm Dimension of table : 1600x810mm Caster Wheel : 125x40mm Foot pedal Cycle to max height : <55 Times Height of handle from the ground : 990mm
29	StackEasy	Hydraulic Lift Table Truck 700 Kg SE/PT 70 1220 X 610		Capacity : 700 Kg Min. Table Height : 445mm max. Table height : 1500 mm Dimension of table : 1220x610mm Caster Wheel : 125x40mm Foot pedal Cycle to max height : <97 Times Height of handle from the ground : 1015mm Self Weight : 195kg
30	StackEasy	Hydraulic Lift table Truck 1000 Kg SE/PT100 1016 X 510		Capacity : 1000 Kg Min. Table Height : 380mm max. Table height : 990 mm Dimension of table : 1016x510x55mm Caster Wheel : 127x50mm Foot pedal Cycle to max height : <82 Times Height of handle from the ground : 980mm Self Weight : 140kg

31	StackEasy	Hydraulic Lift table Truck 1000 Kg SE/PT100 2035 X 750		Capacity : 1000 Kg Min. Table Height : 360mm max. Table height : 1360 mm Dimension of table : 2035x750mm Caster Wheel : 180x50mm Foot pedal Cycle to max height : <200 Times Height of handle from the ground : 1000mm Self Weight : 198kg
32	StackEasy	Shop Crane 250-1000 Kg SE/SC/1000		Lifting Capacity : 250-1000kg Beam Length : 1160-1460mm Beam Height : 0- 2350 mm Beam Size : 1126-1650mm Power Unit : 7 ton Self Weight : 115 Kg
33	StackEasy	Skates 6000 Kg SE/S/NW/6000		Capacity : 6000 Kg Dimension (LxBxH): 300x215x105 No of wheel : 4 Nos Wheel Size : 80x 70mm Wheel material : PU With handle
34	StackEasy	Skates 15000 Kg SE/S/NW/15000		Capacity : 15000 Kg Dimension (LxBxH): 300x215x105 No of wheel : 9 Nos Wheel Size : 80x 70mm Wheel material : PU With handle
35	StackEasy	Chip collecting Trolley		Capacity: 200 Kg, Brand: StackEasy Material:Mild Steel, Condition: New Cart Size: 600*900*900, Color: Smoke gray Trolley is fitted with 4 x 4 inches wheels (2 x Swivel and 2 x Fix) Coolant Drain Valve
36	StackEasy	Hand Trolley 150 Kg SE/HT 150 kg		Capacity : 150 Kg Dimension : 710MMx460MM Wheel Diameter-100 mm Wheel material- nylon Castor wheel - 2 Swivel and 2 fixed
37	StackEasy	Hand Trolley 300 Kg SE/HT300 kg		Capacity : 300 Kg Dimension : 900MMx600MM Wheel Diameter-130 mm Wheel material- nylon Castor wheel - 2 Swivel and 2 fixed
38	StackEasy	Three Rack Trolley 100 Kg SE/PT/3RA		Capacity - 100 kg Width of Table - 410 mm Length of Table - 610 mm Height- 900 mm Caster Wheel - 100 X 35 Material - Steel Package - 470X160X860

39	StackEasy	Steel Manual Trolley 150 Kg SE/PT/SS/150		Capacity - 150 kg Dimension : 740MMx480MM Height- 860 mm , Caster Wheel - 2 swivel + 2 fixed, 100 X 35mm Material - Steel , Package - 120X760X495 Weight including Packing - 14 kg
40	StackEasy	Customized Side Mesh Trly 1275x750 500 Kg		Capacity : 5000 Kg Platform Size : 1200x 750mm Mess depth : 600mm Wheels : 4 (2xSwivel, 2xFixed) Wheel Size :200x50mm Self Weight : 60kg
41	StackEasy	Platform Trolley Plat/F/7146/ TRLY(150 Kg)		Capacity - 150 kg, Dimension : 710MMx460MM Caster Wheel - 2 swivel + 2 fixed 100 mm, Rubber on nylon centers Material - Powder coated oven baked epoxy ; Siemens grey Weight including Packing - 14 kg
42	StackEasy	Platform Trolley Plat/S/9060/ TRLY(350 Kg)		Capacity - 350 kg , Dimension : 900MMx600MM Caster Wheel - 2 swivel + 2 fixed, rigid castor, 130 mm, Material - Powder coated oven baked epoxy ; Siemens grey
43	StackEasy	Platform Trolley Plat/S/1275/ TRLY(500 Kg)		Capacity - 500 kg , Dimension : 1200MMx750MM Wheel -2 swivel + 2 fixed rigid castor. Pressed steel heavy duty castors 200mm dia, with integrally moulded on heavy duty pressed steel centers with ball bearing, with thread guards. 16 Gauges Pressed steel formed deck reinforced with heavy duty
44	StackEasy	Platform Trolley Plat/S/1590/ TRLY(1000 Kg)		Capacity - 1000 kg , Dimension : 1500MMx900MM Caster Wheel - 2 swivel + 2 fixed, rigid castor, 200mm x 50 mm Material - Powder coated oven baked epoxy ; Siemens grey
45	StackEasy	Drum Trolley DRUM/STD/TRL Y 205 Kg		Capacity : 205 Kg Dimension : 1440MMx700MMx900MM Wheel Size - 250 x 60 mm Wheel Material- Cushion Tyred Rubber Wheel. To move the Drums manually from one place to another in the plant . <u>very easv smooth working</u>
46	StackEasy	Double Wheel Barrow Trolley DWB/CT/350/50/R/TRL Y 130 Kg		Capacity - 130 Kg Dimension : 710MMx570MMx1270MM Wheel Size : 300 x 50 MM Wheel Material- Cushion Tyred Rubber Wheel Suitable for transportation of sacks, bags & other loads.

47	StackEasy	Hessian Trolley HESS/NINE/250/TRLY 200 Kg		Capacity : 200 Kg Dimension : 508x205x1220 mm Wheel Size- 200 x 50 mm Wheel Material- Cushion Tyred Rubber Wheel. To move the material manually from one place to another in the plant & offices, very easy smooth working and sturdy
48	StackEasy	Double Gas Cylinder DBL/GAS/CYL/300/R/TRLY 80 Lt (3 CFT)		Capacity - 80 Lt (3CFT), Dimension : 620MMx570MMx1270MM Wheel Size : 350 x 50 MM Wheel Material- Cushion Tyred Rubber Wheel Suitable for transportation of double gas cylinders.
49	StackEasy	Single Gas Cylinder SNGL/GAS/CYL/200/R/TRLY 65 Kg		Capacity - 65 kg , Dimension : 475MMx375MMx1050MM Wheel Size : 200 x 50 MM Wheel Material- Cushion Tyred Rubber Wheel Suitable for transportation of single gas cylinder.
50	StackEasy	Sack Step Trolley Sack/Step/CT/160/R/6WHL/TRLY		Load Capacity 200 kg Dimension ; 1200x600x500mm Wheel size : 160x40mm Staircase stair climbing trolley is the perfect option to move load up or down a staircase. A beautiful trolley that makes stair climbing look easy. This trolley can help you carry your load up a staircase using its three wheel arrangement. This one is a must
51	StackEasy	2 in 1 Trolley 100 Kg 2in1/CTP/250/75		Capacity - 150 kg Dimension : 1240x500x500mm Wheel Size :- 250x75mm & 2-100x30mm 2 in 1 trolley is a unique material handling solution. It can be a Hessian trolley or a platform trolley once it opens out. A unique 2 in 1 solution for your material handling requirements. 2
52	StackEasy	Wheel Swivel SE/SW/100/250 4"		Capacity : 250 kg Wheel Size ; 100 x 50 mm Height with assembly : 143mm With Duplex bearing
53	StackEasy	Wheel Swivel SE/SW/125/300 5"		Capacity : 300 kg Wheel Size ; 125 x 50 mm Height with assembly : 165mm With Duplex bearing

54	StackEasy	Wheel Swivel SE/SW/150/350 6"		Capacity : 350 kg Wheel Size ; 150 x 50 mm Height with assembly : 190 mm With Duplex bearing
55	StackEasy	Wheel Swivel SE/SW/200/400 8"		Capacity : 400 kg Wheel Size ; 200 x 50 mm Height with assembly : 240 mm With Duplex bearing
56	StackEasy	Wheel Rigid SE/FW/100/250 4"		Capacity : 250 kg Wheel Size ; 100 x 50 mm Height with assembly : 143mm With Duplex bearing
57	StackEasy	Wheel Rigid SE/FW/125/300 5"		Capacity : 300 kg Wheel Size ; 125 x 50 mm Height with assembly : 165mm With Duplex bearing
58	StackEasy	Wheel Rigid SE/FW/150/350 6"		Capacity : 350 kg Wheel Size ; 150 x 50 mm Height with assembly : 190 mm With Duplex bearing
59	StackEasy	Wheel Rigid SE/FW/200/400 8"		Capacity : 400 kg Wheel Size ; 200 x 50 mm Height with assembly : 240 mm With Duplex bearing
60	StackEasy	Wheel Swivel Brake SE/SWCB/100/250 4"		Capacity : 250 kg Wheel Size ; 100 x 50 mm Height with assembly : 143mm With Duplex bearing With complete brake
61	StackEasy	Wheel Swivel Brake SE/SWCB/125/300 5"		Capacity : 300 kg Wheel Size ; 125 x 50 mm Height with assembly : 165mm With Duplex bearing With complete brake

62	StackEasy	Wheel Swivel Brake SE/SWCB/150/350 6"		Capacity : 350 kg Wheel Size ; 150 x 50 mm Height with assembly : 190 mm With Duplex bearing With complete brake
63	StackEasy	Wheel Swivel Brake SE/SWCB/200/400 8"		Capacity : 400 kg Wheel Size ; 200 x 50 mm Height with assembly : 240 mm With Duplex bearing With complete brake
64	StackEasy	Wheel Swivel Brake SE/SWSB/100/250 4"		Capacity : 250 kg Wheel Size ; 100 x 50 mm Height with assembly : 143mm With Duplex bearing With Side brake
65	StackEasy	Wheel Swivel Brake SE/SWSB/125/300 5"		Capacity : 300 kg Wheel Size ; 125 x 50 mm Height with assembly : 165mm With Duplex bearing With Side brake
66	StackEasy	Wheel Swivel Brake SE/SWSB/150/350 6"		Capacity : 350 kg Wheel Size ; 150 x 50 mm Height with assembly : 190 mm With Duplex bearing With Side brake
67	StackEasy	Wheel Swivel Brake SE/SWSB/200/400 8"		Capacity : 400 kg Wheel Size ; 200 x 50 mm Height with assembly : 240 mm With Duplex bearing With Side brake
68	StackEasy	Wheel Swivel Brake SE/SWSB/75/100 3"		Capacity : 100 kg Wheel Size ; 75 x 32 mm Height with assembly : 111 mm With Duplex bearing With Side brake
69	StackEasy	Wheel Swivel Brake SE/SWCB/75/100 3"		Capacity : 100 kg Wheel Size ; 75 x 32 mm Height with assembly : 111 mm With Duplex bearing With Complete brake

70	StackEasy	Wheel Swivel SE/SW/75/100 3"		Capacity : 100 kg Wheel Size ; 75 x 32 mm Height with assembly : 111 mm With Duplex bearing
71	StackEasy	Wheel Rigid SE/FW/75/100 3"		Capacity : 100 kg Wheel Size ; 75 x 32 mm Height with assembly : 111 mm With Duplex bearing
72	StackEasy	Wheel Swivel Threaded Stem Brake SE/SWTSB/75/100 3"		Capacity : 100 kg Wheel Size ; 75 x 32 mm Height with assembly : 111 mm With Duplex bearing With Treaded Stem Side Brake
73	StackEasy	Wheel Swivel Threaded Stem SE/SWTS/75/100 3"		Capacity : 100 kg Wheel Size ; 75 x 32 mm Height with assembly : 111 mm With Duplex bearing With Treaded Stem
74	StackEasy	Swivel Wheel SE/SW/1000, 8"		Capacity : 450 kg Wheel Size ; 200 x 50 mm Height with assembly : 240 mm With Duplex bearing
75	StackEasy	Swivel Brake Wheel SE/SWB/1000, 8"		Capacity : 450 kg Wheel Size ; 200 x 50 mm Height with assembly : 240 mm With Duplex bearing
76	StackEasy	Swivel Wheel SE/SW/500, 6"		Capacity : 400 kg Wheel Size ; 150 x 50 mm Height with assembly : 190 mm With Duplex bearing
77	StackEasy	Swivel Wheel SE/SW/150, 4"		Capacity : 300 kg Wheel Size ; 100 x 50 mm Height with assembly : 143 mm With Duplex bearing

78	StackEasy	Swivel Brake Wheel SE/SWB/150, 4"		Capacity : 300 kg Wheel Size ; 100 x 50 mm Height with assembly : 143 mm With Duplex bearing With Complete brake
79	StackEasy	HHPT Small Roller SE/SR/Nylon, 3"x4"		Capacity : 3000 kg Wheel Size ; 80 x 70 mm Duplex bearing can be fitted Material Nylon
80	StackEasy	HHPT Front Wheel Nylon 80x70 with Bearing 3"x4"		Capacity : 3000 kg Wheel Size ; 74 x 52 mm Duplex bearing can be fitted Material Nylon
81	StackEasy	HHPT Big Wheel SE/BW/Nylon, 8"		Capacity : 3000 kg Wheel Size ; 180/200 x 50 mm Duplex bearing can be fitted Material Nylon
82	StackEasy	HHPT Small Roller SE/SR/PU, 3"x4"		Capacity : 3000 kg Wheel Size ; 80 x 70 mm Duplex bearing can be fitted Material Cast Iron with PU
83	StackEasy	HHPT Big Wheel SE/BW/PU, 8" (Red & Black)		Capacity : 3000 kg Wheel Size ; 180/200 x 50 mm Duplex bearing can be fitted Material Cast Iron with PU
84	StackEasy	HHPT Climb Wheel 2"		Capacity : 3000 kg Wheel Size ; 60 x 20 mm Supporting wheel Material Nylon
85	StackEasy	Shop Crane Wheel SE/SC/1000/PU, 5"		Capacity : 1000 kg Wheel Size ; 125x50/40 mm Duplex bearing can be fitted Material Cast Iron with PU
86	StackEasy	Stacker Wheel SE/VV 3" x 4" (Small Roller)		Capacity : 1000 kg Wheel Size ; 80x90 mm Duplex bearing can be fitted Material Cast Iron with PU

87	StackEasy	Tufit Fork Wheel NF BNC-2 4"x 2"		Capacity : 1000 kg Wheel Size ; 100x50 mm Duplex bearing can be fitted Material Cast Iron with PU
88	StackEasy	Tufit Small Wheel Nylon, 80x70		Capacity : 3000 kg Wheel Size ; 80 x 70 mm Duplex bearing can be fitted Material Nylon
89	StackEasy	Rear Wheel Nylon Black, SE/MS/1516/S324 8"		Capacity : 2000 kg Wheel Size ; 180/200 x 70 mm Duplex bearing can be fitted Material Nylon
90	StackEasy	Rear Wheel Frame SE/MS1516/S326,		Capacity: 1500kg Material ; MS Frame width ; 65mm Size of wheel which can be fitted ; 180x50mm Bolt Size : 19mm
91	StackEasy	Swivel Wheel Brake SE/PT/SS/150, 4"		Capacity : 150 kg Wheel Size ; 100 x 30-50 mm Roller bearing Material PU Side Brake
92	StackEasy	Fixed Wheel SE/F/SS/150, 4"		Capacity : 150 kg Wheel Size ; 100 x 30-50 mm Roller bearing Material PU
93	StackEasy	Swivel Wheel Plat/7146/150 kg RD3/PT/CTN/100/TG 4"		Capacity : 150 kg Wheel Size ; 100 x 35-40 mm Roller Bearing Material Cushion tyred wheel
94	StackEasy	Fixed Wheel Plat/7146/150 kg RD3/F/CTN/100/TG, 4"		Capacity : 150 kg Wheel Size ; 100 x 35-40 mm Roller Bearing Material Cushion tyred wheel
95	StackEasy	Swivel Wheel Plat/9060/350kg RPS6/PT/RTP/130/BP/TG 5"		Capacity : 350 kg Wheel Size ; 130 x 40-50 mm Roller Bearing Material Cushion tyred wheel
96	StackEasy	Fixed Wheel Plat/9060/350kg RPS6/F/RTP/130/BP/TG 5"		Capacity : 350 kg Wheel Size ; 130 x 40-50 mm Roller Bearing Material Cushion tyred wheel

97	StackEasy	Swivel Wheel Plat/1275/500kg RPS8/PT/CT/200/BP/TG 8"		Capacity : 500 kg Wheel Size ; 200 x 50 mm Roller Bearing Material Cushion tyred wheel
98	StackEasy	Fixed Wheel Plat/1275/500 kg RPS8/F/CT/200/BP/TG 8"		Capacity : 500 kg Wheel Size ; 200 x 50 mm Roller Bearing Material Cushion tyred wheel
99	StackEasy	Swivel Wheel Plat/1590/1000 kg HSC2/PT/RT/200/R (Swivel), 8"		Capacity : 1000 kg Wheel Size ; 200 x 50 mm Roller Bearing Material cast Iron with PU
100	StackEasy	Fixed Wheel Plat/1590/1000 kg HSC2/F/RT/200/R (Fixed), 8"		Capacity : 1000 kg Wheel Size ; 200 x 50 mm Roller Bearing Material cast Iron with PU
101	StackEasy	Drum Trolley Rear Wheel RG/SP20/CT/200/R/TGCH/DRUM, 8"		Capacity : 250 kg Wheel Size ; 200 x 50 mm Roller Bearing Material Cushion tyred wheel
102	StackEasy	Wheel Drum trolley WHL/CT/250/60/R/25, 10"		Capacity : 250 kg Wheel Size ; 250 x 60 mm Roller Bearing Material Cushion tyred wheel
103	StackEasy	Wheel Hassen Trolley WHL/CT/200/50/R/19, 10"		Capacity : 200 kg Wheel Size ; 200 x 50 mm Roller Bearing Material Cushion tyred wheel
104	StackEasy	Swivel Wheel With Brake RGBV/PT/CT/100/R/TG/BK, 4"		Capacity : 150 kg Wheel Size ; 100 x 30-40 mm Roller bearing Material Cushion tyred wheel Complete Brake
105		Spares of Material Handling Equipment are available		